


## Alkylpolyglycosides



**ProntoSIL 120-5-C1 5.0  $\mu$ m**

**Part. Number:** 2504F010PS050

**Dimension:** 250 x 4.0 mm

**Eluent:** A: H<sub>2</sub>O/MeOH 80/20 (v/v)

B: MeOH

0 – 50 % B in 60 min

**Flow:** 1.2 ml/min

**Detection:** Evap. Light Scattering Detector (DDL31)

PMT: 500, Temp: 60 °C; Pessure (air): 1.5 bar

**Temperature:** 40 °C

**Injection:** 10  $\mu$ l

**Sample:** Alkylpolyglycosides

30 mg/ml in Eluent A